

Drug Corner

Know the Facts about OHAs in the form of QUIZ

- 1. Which of the following drugs is not of use to control FBG?
 - a. Glimepiride
- b. Metformin
- c. Repaglinide
- d. Pioglitazone

Answer: C. Repaglinide

- 2. Which of the following statements is incorrect regarding the OHA -Pioglitazone
 - a. Weight Gain
- b. No favourable impact on lipid profile
- c. Fluid Retention
- d. Osteoporosis Risk

Answer: B. No favourable impact on lipid profile

- 3. Which of the following OHAs cause Vitamin.B12 deficiency
 - a. Vildagliptin
- b. Repaglinide
- c. Glipizide
- d. Metformin

Answer: D. Metformin

- 4. Which of the following drugs are non-insulin injectable?
 - a. Exenatide
- b. Liraglutide
- c. Dulaglutide
- d. All of the above

Answer: D. All of the above

- 5. Which of the following drugs is not associated with weight gain?
 - a. Voglibose
- b. Glimeperide
- c. Pioglitazone
- d. Insulin

Answer: A. Voglibose

- 6. Which of the following drugs is not used for type 2 DM trials?
 - a. Acarbose
- b. Metformin
- c. Glipizide
- d. Glitazone

Answer: C. Glipizide



7.	ΑII	of t	he	fol	lowing	drugs	improve	CV	ris	k except
----	-----	------	----	-----	--------	-------	---------	----	-----	----------

a. Pioglitazone

b. Glimeperide

c. SGLT2 Inhibitors

d. Metformin

Answer: A. Pioglitazone

8. Which of the following drugs is the apt choice for co.prescription with Insulin?

a. Gliclazide

b. Pioglitazone

c. Repaglinide

d. Metformin

Answer: D. Metformin

9. Which of the following drugs will cause maximum HbA1c reduction?

a. Metformin.

b. Voglibose

c. Gliclazide

d. Pioglitazone

Answer: C. Gliclazide

10. Which of the following OHAs is recommended as first line drug for treatment of DMT2

a. Pioglitazone

b. Metformin

c. Glibenclamide

d. None of above

Answer: B. Metformin

11. SGLT2 Inhibitors have many potential mechanisms by which they lower blood pressure and preserve kidney function.

a. True

b. False

Answer: A. True

12. Hypoglycemia common side effect of which of the following OHAs

a. Metformin

b. Glibenclamide

c. Acarbose

d. Sitagliptin

Answer: B. Glibenclamide

13. Which Gliptin is Reno safe gliptin?

a. Sitagliptin

b. Linagliptin

c. Vildagliptin

d. Saxagliptin

Answer: B. Linagliptin



14. Site of action of acarbose?

a. Muscle

b. Liver

c. Fat

d. GI Tract

Answer: D. GI Tract

- 15. All of the following about alpha glucosidase inhibitor are true except?
 - a. Reduces intestinal absorption of carbohydrates
 - b. Effective in type 2 diabetes
 - c. Hypoglycemia is a serious side effect
 - d. Can be used with other OHA

Answer: C. Hypoglycemia is a serious side effect

Dr. R. Rajasekar, Senior Physician & Diabetologist, Kumbakonam